#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization International Bureau



# - 1 CORRESTORA DE COMENCIA COM COMENCIA DE 18 DE COMENCIA DE 18 DE COMENCIA DE COMENCIA DE 18 DE COMENCIA DE 1

(43) International Publication Date 28 October 2004 (28.10.2004)

PCT

# (10) International Publication Number WO 2004/092933 A1

(51) International Patent Classification7:

G06F 1/00

(21) International Application Number:

PCT/JP2004/004980

(22) International Filing Date:

7 April 2004 (07.04.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2003-107594


11 April 2003 (11.04.2003) IP

- (71) Applicant (for all designated States except I/S): MAT-SUSHITA ELECTRIC INDUSTRIAL CO., LTD. [JP/JP]; 1006, Oaza Kadoma, Kadoma-shi, Osaka 5718501 (JP).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): OKAMOTO, Ryulchi. KOBAYASHI, Susumu. TOKUDA, Katsumi.

- (74) Agent: NII, Hiromori; c/o NII Patent Firm, 3rd Floor, Shin-Osaka Suchiro Center Bldg., 11-26, Nishinakajima 3-chome, Yodogawa-ku, Osaka-shi, Osaka 5320011 (JP).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, HD, HL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GII, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TI, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NI., PL, PT, RO, SE, SI, SK,

[Continued on next page]

(54) Title: APPARATUS AND METHOD FOR PLEXIBLE LICENSING OF COMPOSITE DIGITAL CONTENTS



(57) Abstract: The user terminal (110) is composed of the following: a license purchase unit (603) for obtaining a license (500) indicating a content usable time (502) of a content data (200) composed of a plurality of elements (203), each of which can be replayed individually; an availability judgment unit (604) for judging whether or not encrypted elements (203) included in the content data (200) are available, based on the content usable time (502) indicated in the obtained license (500); a replay/display unit (607) for replaying the encrypted elements judged as available; and a use status management unit (608) for specifying license-consuming elements, each of which consumes an authorized amount of replay under right, out of the elements that are being replayed, and measuring a content used time (504) consumed by replaying the specified license-consuming elements.

<u>500</u>

#### WO 2004/092933 A1

TR), OAPI (BF, BJ, CF, CG, Cl, CM, GA, GN, GQ, GW, — with amended claims and statement ML, MR, NE, SN, TD, TG).

#### Published:

- with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

#### DESCRIPTION

APPARATUS AND METHOD FOR FLEXIBLE LICENSING OF COMPOSITE DIGITAL CONTENTS

#### 5 Technical Field

The present invention relates to a digital content reproducing apparatus and, in particular, to a digital content reproducing apparatus which can protect rights relating to digital contents.

10

15

20

25

30

#### **Background Art**

Systems for distributing digital copyrighted works such as music, video, games and others via the Internet or digital broadcasting have recently been developed, and some of the systems face a stage of practical application. For a distribution of such contents, a method of controlling a content use for limiting reproduction frequency, transfer, and duplication of the distributed contents is also considered in view of copyright protection.

Under the conventional digital content distribution system, as is disclosed in Japanese Laid-Open Application No. 08-54951, use conditions for a content used by each user are distributed to a user terminal together with the content, and the user terminal manages a use of the content based on the distributed use conditions.

For example, in the case where the user purchased a right to watch a movie "EIGA" for an hour, the user terminal receives a content of the movie "EIGA" as well as the use conditions indicating that "a user can watch the "EIGA" for an hour", and manages a replay of the content according to the use conditions. In this case where the user terminal replays the content "EIGA", the time taken for the replay is measured so that the use is prohibited when the total replay time has reached one hour.

However, the conventional art does not consider sufficiently the use control in a case where a content is composed of plural elements. This poses a problem that the content is not available against his will. To be more specific, for example, in the case of using the content consisting of tune data, lyric data, and image data of an artist, the user cannot replay the tune data which he or she desires to use the most since the right to use the content is completely used due to the long browsing of the lyric data.

#### 10 Disclosure of Invention

47

5

15

20

25

30

An object of the present invention, in view of such circumstances, is to provide the system that realizes a proper control over the use of the content that is composed of plural elements.

In order to achieve the above object, the digital content reproduction apparatus according to the present invention for reproducing a content according to license information which authorizes the reproduction of the content comprises: a license information obtainment unit operable to obtain the license information indicating an authorized amount of reproduction for a content composed of a plurality of elements that can be reproduced individually; a reproducibility judgment unit operable to judge whether or not said plurality of elements included in the content are authorized to be reproduced, based on the authorized amount of reproduction indicated in the obtained license information; and a reproduction unit operable to reproduce one or more of said plurality of elements in the case where it is judged that said plurality of elements are authorized to be reproduced, and not to reproduce said one or more elements in the case where it is judged that said plurality of elements are not authorized to be reproduced.

The reproducibility judgment unit may specify one or more license-consuming elements, each of which consumes said

authorized amount of reproduction during reproduction, out of said one or more elements that are being reproduced, and judges whether or not said plurality of elements in the content are authorized to be reproduced, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction.

5

10

15

20

25

30

The license information may further include license-consuming element information indicating one or more license-consuming elements included in each content, and the reproducibility judgment unit may include: a consumed amount calculation unit operable to specify one or more license-consuming elements that are being reproduced, based on the license-consuming element information, and calculate a consumed amount within said authorized amount of reproduction, based on said amount used for reproducing the specified license-consuming elements; and a comparison unit operable to compare said authorized amount of reproduction and the calculated consumed amount, said authorized amount of reproduction being indicated in the obtained license information. The reproducibility judgment unit may judge, based on a result of the comparison, i) that said plurality of elements in the content are authorized to be reproduced so far as the consumed amount is less than said authorized amount of reproduction, and ii) that said plurality of elements in the content are not authorized to be reproduced in a case where the consumed amount surpasses said authorized amount of reproduction.

The authorized amount of reproduction may be represented as an amount authorized for reproducing each element included in the content, and the reproducibility judgment unit may include a comparison unit operable to compare the authorized amount of reproduction for said each element and an amount used for reproducing said each element, said authorized amount of

reproduction being indicated in the obtained license information. The reproducibility judgment unit may judge, based on a result of the comparison, i) that said each element is authorized to be reproduced so far as the consumed amount is less than said authorized amount of reproduction, and ii) that said each element is not authorized to be reproduced in a case where the consumed amount surpasses said authorized amount of reproduction.

5

10

15

20

25

30

The authorized amount of reproduction may further include other element dependency condition that is set for each element for deciding whether or not said each element included in the content is authorized to be reproduced, depending on whether or not other specified elements included in the same content are authorized to be reproduced, and the reproducibility judgment unit may judge that said each element is not authorized to be reproduced even when an amount used for reproducing said each element is less than said authorized amount of reproduction, in a case where it is judged that the specified elements indicated in the other element dependency condition that is set for said each element are not authorized to be reproduced.

As is described above, the present invention is effective in appropriately controlling the use of the content that is composed of plural elements.

It should be noted that the present invention can be realized as such a digital content distribution system, but also as a single unit such as a right management server and a user terminal, both of which constitutes the digital content distribution system, or as a right management method in which the characteristic operations in the digital content distribution system are performed as steps, and even as a program which causes a general-purpose computer to execute the characteristic operations. The program can be surely distributed via a computer-readable storage medium such as a CR-ROM and the like or a transmission medium such as the

Internet and the like.

For further information about technical background to this application, Japanese Patent Application No. 2003-107594 filed on 11 April, 2003 is incorporated herein by reference.

5

10

## **Brief Description of Drawings**

These and other objects, advantages and features of the invention will become apparent from the following description thereof taken in conjunction with the accompanying drawings that illustrate a specific embodiment of the invention. In the drawings:

- FIG. 1 shows an overall configuration of the digital content distribution system according to a first embodiment of the present invention:
- 15 FIG. 2 shows an example of the content data distributed by the content server shown in FIG. 1;
  - FIG. 3 shows an example of the element management information shown in FIG. 2;
- FIG. 4 shows an example of license-consuming element 20 specification information;
  - FIG. 5 shows an example of the license distributed from the license server to the user terminal in the system shown in FIG. 2;
  - FIG. 6 is a block diagram showing the configuration of the user terminal shown in FIG. 1;
- 25 FIG. 7 is a flowchart showing the user's operation of using a content;
  - FIG. 8 is a flowchart showing the operation used in the availability judgment process shown in FIG. 7;
- FIG 9 is a flowchart showing the operation, used in the start-using-element process shown in FIG. 7;
  - FIG. 10 is a flowchart showing the operation, used in the content-in-use process shown in FIG. 7;

FIG. 11 is a flowchart showing the operation used in the content used time measurement control process shown in FIG. 10;

- FIG. 12 shows another example of the content data shown in FIG. 2;
- FIG. 13 shows another example of the license-consuming element specification information, shown in FIG. 4;
  - FIG. 14 shows another example of the license-consuming element specification information shown in FIG. 4;
- FIG. 15 shows another example of the license-consuming element specification information shown in FIG. 4;
  - FIG. 16 is a flowchart showing another example of the operation used in the content used time measurement control process shown in FIG. 11;
- FIG. 17 shows another example of the license shown in FIG. 15 5;
  - FIG. 18 shows an example of the license according to the second embodiment of the present invention;
  - FIG. 19 is a flowchart showing the operation start-using-element process performed by the user terminal 110;
  - FIG. 20 is a flowchart showing the operation of the availability judgment process shown in FIG. 19; and
  - FIG 21 is a flowchart showing the operation used in the element-in-use process, as shown in FIG. 19.

# 25 Best Mode for Carrying Out the Invention

(First Embodiment)

5

20

30

FIG. 1 is a block diagram showing the overall configuration of the digital content distribution system according to the first embodiment of the present invention. As shown in FIG 1, the digital content distribution system has at least one license server 100, at least one content server 101, at least one user terminal 110, and a transmission line 120. The following describes each of the

components in the digital content distribution system. It should be noted that the same referential marks are put for the components which are already mentioned, and the description is omitted.

5

10

30

The license server 100, being set on the side of a content provider  $\alpha$ , manages a right to use each content (hereafter referred to as "right"), and distributes a license 500 shown in FIG. 5 according to a license purchase request sent from the user terminal 110, after necessary operation such as charging for the purchased license or the like. The license 500 will be explained in detail later on.

The content server 101 is set on the side of the content provider  $\alpha$ , as is the case of the license server 100, and distributes content data 200 to the user terminal 110.

15 FIG. 2 shows an example of the content data 200 distributed by the content server 101 shown in FIG. 1. As shown in FIG. 2, the content data 200 is composed of a content ID 201, element management information 202 and "N" number of encrypted elements 203. Here, "N" is an integer larger than or equal to 1.

20 The content ID 201 is an ID for uniquely specifying the content data 200 in the digital content distribution system. The element management information 202 is information for managing the encrypted elements 203 included in the content data 200. The encrypted elements 203 include music, video, lyric data and other data in encrypted form.

FIG. 3 shows an example of the element management information 202 shown in FIG. 2. As shown in FIG. 3, the element ID 300 uniquely specifies each encrypted element 203 included in the content data 200. The element type 301 is information indicating a type of each encrypted element 203 such as "music data", "movie data" and others. The offset 302 is offset information indicating a distance between a head of the content

data 200 and the encrypted element 203. The element size 303 Indicates a size of the encrypted element 203. In FIG. 3, for example, an encrypted element 203 whose element ID 300 is "xxx001" has an element type 301 indicating "music data", an offset 302 indicating "96000 bytes" and an element size 303 Indicating "512000 bytes".

5

10

15

25

30

FIG. 4 shows an example of license-consuming element specification information 204. As shown in FIG. 4, the license-consuming element specification information 204 indicates the encrypted elements 203 which consume the license among the encrypted elements 203 included in the content data 200.

As shown in FIG. 4, an element ID 300 is as same as the element ID 300 in the element management information 202 and a license consumption flag 400 is a flag that indicates whether or not each encrypted element 203 consumes license. FIG. 4 shows that the encrypted element 203 with the element ID 300 "xxx001" consumes license while the encrypted elements 203 with the element IDs "xxx002" and "xxx003" do not.

Back to FIG. 1, the user terminal 110 is set on the side of a 20 user  $\beta$  and receives content distribution services.

The transmission line 120 is a wired or wireless line which connects the license server 100, the content server 101 and the user terminal 110 so as to transmit data.

It should be noted that, in the present embodiment, the license server 100 and the content server 101 are set on the side of the same content provider  $\alpha$ . However, they may be managed respectively by different content providers. Also, the license server 100 and the content server 101 are described as different servers, but they may be the same server.

The following describes the license 500 distributed from the license server 100 to the user terminal 110 with reference to FIG. 5. FIG. 5 shows an example of the license 500 distributed from

the license server 100 to the user terminal 110. The license 500 is composed of the following: a license ID 501, a content ID 201, a content usable time 502, N sets being composed of the element ID 300 and a decryption key 503, the license-consuming element specification information 204 shown in FIG. 4, and a content used time 504. The license ID 501 specifies uniquely each license 500 under the digital content distribution system. The ID of the content data 200 to which the license 500 is applicable is described in the content ID 201. The content usable time 502 is information indicating the time during which a use of the content is authorized. The decryption key 503 is a key to decrypt each encrypted element 203 specified by each element ID 300. The content used time 504 is the time actually spent for the use of the content. The content used time 504 with an initial value "0" is updated each time the content is actually used, and it is judged that the content use is authorized under the license 500 until the value indicated in the content used time 504 reaches the value indicated in the content usable time 502. It should be noted that the content used time 504 may not exist at the stage where the license 500 is distributed from the license server 100 to the user terminal 110, and may be added after the user terminal 110 have received the license 500.

5

10

15

20

25

30

The following describes in detail the configuration of the user terminal 110 with reference to FIG. 6. FIG. 6 is a block diagram showing the configuration of the user terminal 110 shown in FIG. 1. As shown in FIG. 6, the user terminal 110 is composed of the following: a content database 600, a license database 601, a communication unit 602, a license purchase unit 603, an availability judgment unit 604, a decryption key obtainment unit 605, a decryption unit 606, a replay/display unit 607, a use status management unit 608, and a license updating unit 609. The following explains each of the components included in the user terminal 110.

The content database 600 manages the content data 200 distributed from the content server 101.

The license database 601 manages securely the license 500 distributed from the license server 100.

The communication unit 602 communicates with the license server 100 and the content server 101 via the transmission line 120.

5

10

15

20

25

30

The license purchase unit 603 sends a license purchase request to the license server 100 and acquires the license 500.

The availability judgment unit 604 refers to the content used time 504 as well as the content usable time 502 included in the license 500, and judges whether the content is available or not.

The decryption key obtainment unit 605 takes out a required decryption key 503 from the license 500 stored in the license database 601.

The decryption unit 606 takes out the content data 200 from the content database 600, and decrypts the encrypted element 203 taken out from the content data 200, using the decryption key 503 obtained by the decryption key obtainment unit 605.

The replay/display unit 607 replays or displays the encrypted element 203 decrypted by the decryption unit 606. More specifically, in the case where the encrypted element 203 to be replayed is, for example, a music element, the replay/display unit 607 generates sound data by extending compression of the coded data obtained by decrypting the encrypted element 203, and outputs the generated sound data to a speaker. In the case where the encrypted element 203 to be replayed is, for example, a video element, the replay/display unit 607 generates video data by performing the same processing as performed for the music element, and outputs the generated video data to a monitor.

The use status management unit 608 measures the time used for each of the elements included in the content, and stops

the use of the content, if necessary, for instance, when the right to use the content is completely used. It should be noted that the use status management unit 608 measures the time during which the license-consuming elements are used as the time during which the content is used.

5

10

15

20

25

30

The license updating unit 609 updates the license 500 stored in the license database 601. More specifically, the content used time 504 in the license 500 is updated when the content is used.

The following describes the operation of the digital content distribution system according to the present embodiment with reference to the flowcharts in FIGs 7, 8, 9 and 10. FIG. 7 is a flowchart showing the operation used in the process of starting a use of a content (to be referred to as "start-using-content process"), performed by the user terminal 110. FIG. 8 is a flowchart showing the operation used in the process of availability judgment. FIG. 9 is a flowchart showing the operation used in the process of starting a use of an element (to be referred to as "start-using element process"). FIG. 10 is a flowchart showing the operation used in the process while the content is in use (to be referred to as "content-in-use process").

Firstly, the operation of the user terminal 110 for using the content is described with reference to the flowchart in FIG. 7.

The availability judgment unit 604 receives a request to start using a content from the user  $\beta$  through the user's operation input unit such as a keyboard that is not shown in the diagram, and starts the following processing. The start-using-content request sent from the user  $\beta$  includes information for specifying the content or element which the user desires to start using.

S701: The availability judgment unit 604 judges whether or not the content is available by performing the availability judgment process which is to be mentioned later with reference to the flowchart in FIG. 8.

S702: In the case where the availability judgment unit 604 judges that the content is available in S701, the process goes on to S703. In the case where the availability judgment unit 604 judges that the content is unavailable, the process goes on to S707.

S703: The start-using-element process, which is to be mentioned later, is operated, and the use of the element requested by the user starts.

5

10

15

20

25

30

S704: The content-in-use process which is to be mentioned later with reference to the flowchart in FIG. 10 is performed.

S705: The use status management unit 608 judges whether or not use of all the elements is stopped. In the case where use of all the elements is stopped, the process goes on to S706. In the case where some elements are found to be still in use, the process returns to S704.

S706: The license updating unit 609 updates the content used time 504 in the license 500 based on the time used for the content use, measured by the use status management unit 608, in the content-in-use process in S704.

S707: The user is informed that the content is unavailable.

The following describes the availability judgment process of S701 in FIG. 7 with reference to the flowchart in FIG. 8.

S801: The availability judgment unit 604 examines whether or not the license database 601 has the license 500 authorizing the use of the content which the user  $\beta$  desires to use. In the case where such license 500 is found, the process goes on to the S802. In the case where such license 500 is not found, the process goes on to the S804.

S802: The availability judgment unit 604 judges whether or not the content used time 504 of the license 500 authorizing the use of the content the user  $\beta$  desires to use is less than the content usable time 502. In the case where the content used time 504 is less than the content usable time 502, the process goes on

to S803. In the case where the content used time 504 is not less than the content usable time 502, the process goes on to S804.

S803: The availability judgment unit 604 judges that the content is available.

S804: The availability judgment unit 604 judges that the content is unavailable.

5

10

15

20

25

30

The following describes the start-using-element process of S703 in FIG. 7 with reference to the flowchart in FIG. 9.

S901: The decryption key obtainment unit 605 takes out, from the license 500 stored in the license database 601, the decryption key 503 for the encrypted element 203 which the user  $\beta$  desires to use.

S902: The decryption unit 606 takes out the encrypted element 203 which the user  $\beta$  desires to use, from the content data 200 stored in the content database 600, and decrypts it using the decryption key 503 obtained by the decryption key obtainment unit 605 in S901.

S903: The replay/display unit 607 replays or displays the encrypted element 203 decrypted by the decryption unit 606 in S902.

The following describes the content-in-use process in S704 in FIG. 7 with reference to the flowchart in FIG. 10.

S1001: The content used time measurement control process, which is to be mentioned later with reference to the flowchart in FIG. 11, is operated.

S1002: The use status management unit 608 judges whether or not the content continues to be available. It should be noted that the judgment for the continuation of the content use is made based on whether or not the condition expressed in equation 1 is satisfied. In the case where the condition is satisfied, the use status management unit 608 judges that the content remains available and in the case where the condition is not satisfied, the

use status management unit 608 judges that the content is no longer available.

(content used time measured by the use status management unit 608) < (content usable time 502 of the license 500 authorizing the content use) - (content used time 504 of the license 500 authorizing the content use)  $\cdots$  (equation 1)

5

10

15

20

25

30

In S1002, in the case where the use status management unit 608 judges that the content remains to be available, the process goes on to S1004, and in the case where the use status management unit 608 judges that the content is no longer available, the process goes on to S1003.

S1003: The use status management unit 608 instructs the replay/display unit 607 to stop the replay or display of all the elements. The replay/display unit 607 stops the replay or display of all the elements according to the instruction from the use status management unit 608.

S1004: The use status management unit 608 judges whether or not a request relating to the use of an element is received from the user  $\beta$ . In the case where the request is received from the user  $\beta$ , the process goes on to S1005. In the case where the request is not received from the user  $\beta$ , the content-in-use process terminates.

S1005: In the case where the request received from the user  $\beta$  is a request to start using a new element, the process goes on to S1006. In the case where the request received from the user  $\beta$  is a request to stop using the element in use, the process goes on to S1007.

S1006: The start-using-element process described with reference to FIG. 9 is performed, and the replay or display of the element starts as instructed by the user.

S1007: The use status management unit 608 instructs the replay/display unit 607 to stop the replay or display of the element

of which the user  $\beta$  instructs to stop the use. The replay/display unit 607 stops the replay or display of the element according to the instruction sent from the use status management unit 608.

The following describes the content used time measurement control process of S1001 in FIG. 10 with reference to the flowchart in FIG. 11. FIG. 11 is a flowchart showing the operation used in the content used time measurement control process.

5

10

15

20

25

30

S1101: The use status management unit 608 refers to the license-consuming element specification information 204 included in the license 500 in use, and judges whether the license-consuming element is in use or not. In the case where the license-consuming element is in use, the process goes on to S1102. In the case where the license-consuming element is not in use, the process goes on to S1103.

S1102: The use status management unit 608 adds time to the content used time for each of the license-consuming elements that are in use. More specifically, when performing the processing of S1102 for the first time after the instruction to start the use of a content is received, the use status management unit 608, for example, activates a timer which measures an elapsed time with the initial value set as "0". When operating the processing of S1102, the use status management unit 608 then adds, for each of the license-consuming elements that are in use, the elapsed time measured up to then to a register for measuring the content used time, and allows the timer to start measuring an elapsed time starting from the value "0". Note here that the initial value in the register is "0". Also, (content used time measured by the use status management unit 608) in the equation 1 is assumed to be a total amount of each elapsed time measured by each register for each of the license-consuming elements used up to then.

S1103: The use status management unit 608 stops adding the content used time. To be more specific, each register, to

which the elapsed time is added for each of the license-consuming elements, holds the value of the added elapsed time.

5

10

15

20

25

30

It should be noted that the flowchart in FIG. 11 describes the content used time measurement control process in the case where the used time is added for the number of the license-consuming elements that are used in parallel, but the present invention is not That is to say, in the case where three limited to this. license-consuming elements are used in parallel for one minute, the (content used time measured by the use status management unit 608) in the equation 1 is calculated as three minutes that is the measured elapsed time multiplied by three. The present invention, however, is not limited to this. For example, even in the case where plural license-consuming elements are used in parallel, the number of the license-consuming elements that are in use may be calculated as "1" and the elapsed time measured by the timer may be added to the used time. Namely, the content used time may be calculated based on whether or not at least one license-consuming element is used. In this case, even in the case where three license-consuming elements are used in parallel for one minute, the content used time is calculated as one minute that is the measured elapsed time.

It should be noted that, in the present embodiment, the license-consuming element specification information 204 is included in the license 500, but the present invention is not limited to this. FIG. 12 shows another example of the content data 200 shown in FIG. 2. That is to say, the license-consuming element specification information 204 may be included in the content data 200, but not in the license 500, as shown in FIG. 12.

In the present embodiment, it is described that the license-consuming element specification information 204 is information composed of the element ID 300 and the license consumption flag 400, but the present invention is not limited to

this. FIG. 13 shows another example of the license-consuming element specification information 204 shown in FIG. 4. For instance, as shown in FIG. 13, the license-consuming element specification information 204 may be shown in a list where the elements are divided into two groups: one group for the elements that consume license; and the other group for the elements that do not consume license, and each element ID can be listed together. FIG. 14 shows yet another example of the license-consuming element specification information 204. As shown in FIG. 14, the license-consuming element specification information 204 may be a list in which only the element IDs 300 of the license-consuming elements are listed.

5

10

15

20

25

30

FIG. 15 is another example of the license-consuming element specification information 204 shown in FIG. 4. As shown in FIG. 15, it may be the information composed of the element ID 300 and a degree of license consumption 1300. The degree of license consumption 1300 is information indicating the amount consumed for each of the elements, and the use status management unit 608 measures the content used time based on this information. For example, in the case of using the element whose degree of consumption is set as "consume half" for one minute, the content used time is "30 seconds".

FIG. 16 is a flowchart showing another example of the operation used in the content used time measurement control process shown in FIG. 11. More specifically, it is a flowchart showing the operation in the case where the use status management unit 608 measures the content used time according to the license-consuming element specification information 204 shown in FIG. 15.

S2201: The use status management unit 608 refers to the license-consuming element specification information 204 shown in FIG. 15 included in the license 500 in use, and calculates a total "n"

(n is a positive real number) of the degree of license consumption 1300 for the elements that are in use. For example, in the case where the element with the element ID "xxx001", the element with the element ID "xxx002" and the element with the element ID "xxx003" are in use, "n" can be obtained based on the equation n=0.5+2+0=2.5

5

10

15

20

25

30

S2202: The use status management unit 608 judges whether or not the calculated total "n" of the degree of license consumption 1300 is larger than "0". In the case where the "n" is greater than "0", the process goes on to S2203. In the case where the "n" is not greater than "0", namely, n=0, the process goes on to S2204.

S2203: The use status management unit 608 multiplies the content used time by the number "n" and adds it. specifically, when performing the processing of S2203 for the first time after having received the instruction to start using the content, the use status management unit 608, for example, activates the timer which measures the elapsed time with the initial value set as "0". When performing the processing of S2203, the use status management unit 608 then adds the elapsed time measured up to then to the value held in the register after multiplying it by the number "n", so that the timer starts measuring the elapsed time starting from "0". Here, the initial value at the register indicates "0". Therefore, for example, in the case where the element with the element ID "xxx001", the element with the element ID "xxx002 and the element with the element ID "xxx003" are used in parallel for one minute, the content used time is calculated as 2 minutes and 30 seconds.

S2204: The use status management unit 608 stops adding time to the content used time.

Thus, by calculating the content used time, the time during which the content is used can be controlled according to the degree

of license consumption 1300 for each element. It should be noted that, in the flowchart in FIG. 16, it is described that a total "n" of a degree of license consumption 1300 for the elements in use is calculated, and the measured elapsed time is multiplied by "n" and then added to the value held in the register. The present invention. however, is not limited to this. For example, the element having a largest degree of license consumption 1300 (largest value= "m"), among the elements which are in use, is used for the calculation of the content used time, and the elapsed time measured while the elements are replayed may be multiplied by "m" and then added to the value held in the register. Namely, in the case where the element with the element ID "xxx001", the element with the element ID "xxx002" and the element with the element ID "xxx003", which are indicated in the license-consuming element specification information 204 shown in FIG. 15, are used in parallel for one minute, the element having the largest value "m" as "2" for a degree of license consumption 1300 is used for the calculation. In this case, the content used time is calculated as 2 minutes.

5

10

15

20

25

30

It should be noted that, in the embodiment described above, the elements which consume license are specified based on the license-consuming element specification information 204, but the present invention is not limited to this. More specifically, the encrypted elements #1 and #2 in the content data 200 shown in FIG. 2 may be predetermined as the elements which consume license. In this case, where one element is a license-consuming element, for example, staffing data or the like may be filled in the encrypted element #2 while the elements which do not consume license may be written in the following encrypted elements including the encrypted element #3.

It should be noted that, in the embodiment described above, when a difference between the content usable time (or authorized number of times for content use) and the content used time

(number of times using content) becomes "0", namely, the right to use the content authorized by the license 500 is completely used, all the elements become unavailable, but the present invention is not limited to this. For example, the elements which do not consume license may be available even after the complete use of the right authorized by the license 500.

In the present embodiment, it is explained that the license 500 includes the content usable time 502 represented as a right to use the content, but the present invention is not limited to this. FIG. 17 shows another example of the license 500 shown in FIG. 5. For example, as shown in FIG. 17, the license 500 may include a content usable frequency 1400 and a content used frequency 1401 instead of the content usable time 502 and the content used time 504 shown in FIG. 5. The content usable frequency 1400 is the number of times allowed for using a content while the content used frequency 1401 is the number of times for which a content is actually used. In this case, where the license-consuming elements are used, the use status management unit 608 controls the use of the content, regarding that the content is used "once".

Thus, according to the present embodiment as described above, in the case of controlling the use of the content being composed of, for instance, tune data, lyric data, image data of the artist and other data, the problem that the user cannot replay the tune data since the right to use the content is completely used due to the long browsing of the lyric data can be prevented by setting the tune data as a license-consuming element while other data is not set as such.

#### (Second Embodiment)

10

15

20

25

30

The following describes the digital content distribution system according to the second embodiment of the present invention. The present digital content distribution system has the

configuration almost as same as the one used in the digital content distribution system according to the first embodiment. Since the operation differs partly between the first and second embodiments, the difference is focused here, and the same reference numerals are put for the same components shown in the diagram.

5

10

15

20

25

30

The overall configurations of the digital content distribution system and the user terminal 110, according to the second embodiment, are as same as those described in the first embodiment, therefore, the descriptions are omitted here.

FIG. 18 shows a composition of the license 500 according to the second embodiment. The license 500 used in the second embodiment differs from the one described in the first embodiment in the respect that the former has an element usable time 1600 and an element used time 1601 for describing the usable time and the used time for each element, instead of the content usable time 502 and the content used time 504, and further includes other element dependency information 1602. The other element dependency information 1602 is information in which each status of use for other elements is described as a condition for each element under which the element becomes available. For example, a condition such that "the right to use the element with the element ID "xxx111" is still left" is described.

FIGs 19  $\sim$ 21 are flowcharts respectively showing the operation performed under the digital content distribution system according to the second embodiment.

Firstly, the operation of using an element, performed by the user terminal 110 according to the second embodiment, is described with reference to the flowchart shown in FIG. 19.

The availability judgment unit 604 receives a request to start using an element from the user  $\beta$  through the user's operation input unit such as a keyboard or the like which is not shown in the diagram. The request includes the information for

specifying the element which the user  $\beta$  desires to start using.

S1701: The availability judgment unit 604 performs availability judgment process, which is to be mentioned later with reference to the flowchart in FIG. 20, and judges whether or not the element specified by the user  $\beta$  is available.

5

10

25

30

S1702: In the case where the availability judgment unit 604 judges that the element is available in S1701, the process goes on to S1703. In the case where the availability judgment unit 604 judges that the element is unavailable, the process goes on to S1708.

S1703: The process of starting the use of the element, namely, the start-using-element process, described with reference to the flowchart in FIG. 9, is operated, and the use of the element starts as requested by the user  $\beta$ .

15 S1704: The use status management unit 608 starts measuring the time during which the element is used.

S1705: The process while the element is in use, that is, the element-in-use process which is to be mentioned later with reference to FIG. 21, is operated.

20 S1706: The use status management unit 608 judges whether or not the use of the element is stopped. In the case where it is stopped, the process goes on to S1707. In the case where it is not stopped, the process returns to S1705.

S1707: The license updating unit 609 updates the element used time 1601 in the license 500 based on the used time measured by the use status management unit 608.

S1708: The user is informed that the element is unavailable.
The following describes the availability judgment process of
S1701 in FIG. 19 with reference to the flowchart in FIG. 20.

S1801: The availability judgment unit 604 examines whether or not the license database 601 has the license 500 authorizing the use of the element which the user  $\beta$  desires to use.

PCT/JP2004/004980 WO 2004/092933

In the case where such license 500 is found, the process goes on to S1802. In the case where such license 500 is not found, the process goes on to \$1805.

S1802: The availability judgment unit 604 judges whether 5 for not the element used time 1601 corresponding to the element which the user  $\beta$  desires to use is less than the element usable time 1600. In the case where the element used time 1601 is less than the element usable time 1600, the process goes on to S1803. In the case where the element used time 1601 is not less than the element usable time 1600, the process goes on to \$1805.

10

15

20

25

30

S1803: The availability judgment unit 604 judges whether or not the condition described in the other element dependency information 1602 is satisfied. In the case where the condition is satisfied, the process goes on to \$1804, and in the case where the condition is not satisfied, the process goes on to \$1805.

S1804: The availability judgment unit 604 judges that the element is available.

S1805: The availability judgment unit 604 judges that the element is unavailable.

The following describes the process in S1705 in FIG. 19, performed while the element is in use, namely, the element-in-use process, with reference to the flowchart in FIG. 21.

S1901: The use status management unit 608 judges whether or not the usable time of the element is still left. It should be noted that the judgment is based on whether or not the condition expressed in equation 2 is satisfied. In the case where the condition is satisfied, it is judged that the usable time of the element is left, and in the case where the condition is not satisfied, it is judged that the usable time of the element is not left.

(element used time measured by the use status management unit 608) < (element usable time 1600 of the element corresponding to the element in use) — (element used

time 1601 of the element corresponding to the element in use)  $\cdots$  (equation 2)

In the case where it is judged that the usable time of the element is left in S1901, the process goes on to S1902. In the case where it is judged that no such time is left, the process goes on to S1904.

5

10

15

20

25

30

S1902: The availability judgment unit 604 judges whether or not the condition described in the other element dependency information 1602 is satisfied. In the case where the condition is satisfied, the process goes on to S1903, and in the case where the condition is not satisfied, the process goes on to S1904.

S1903: The use status management unit 608 judges whether a request to stop using the element is received from the user  $\beta$ . In the case where the request is received, the process goes on to S1904, and in the case where the instruction is not received, the process terminates:

S1904: The use status management 608 instructs the replay/display unit 607 to stop the replay or display of the element. The replay/display unit 607 stops the replay or display of the element according to the instruction.

Thus, according to the present embodiment as described above, in the case of controlling the use of the content being composed of, for instance, tune data, lyric data, image data of the artist and other data, the problem that the user cannot replay the tune data because of the long browsing of the lyric data can be prevented by setting the element usable time 1600 corresponding to the lyric data and the image data of the artist, as "unlimited", and indicating "the right to use the tune data is left" in the other element dependency information 1602. At the same time, the control to stop also the use of other elements at the time when the right to use the tune data becomes ineffective is made possible.

### **Industrial Applicability**

The user terminal according to the present invention is practical as a content reproduction apparatus, a personal computer, a Personal Digital Assistant (PDA), a cell phone, and a Set Top Box (STB), each being equipped with a communication function. The right management server according to the present invention is useful as a server which distributes, to the user terminal, a license to use a content via a broadcast network, the Internet, or the like. The digital content distribution system according to the present invention is practicable as a content use system in which the right management server distributes, to the user terminal, a license for a digital content such as movie and music via the communication network as mentioned above, and the user terminal uses the digital content based on the distributed license, or the like.

10

5

#### CLAIMS

1. A digital content reproduction apparatus for reproducing a content according to license information which authorizes the reproduction of the content, the apparatus comprising:

a license information obtainment unit operable to obtain the license information indicating an authorized amount of reproduction for a content composed of a plurality of elements that can be reproduced individually;

5

10

15

25

a reproducibility judgment unit operable to judge whether or not said plurality of elements included in the content are authorized to be reproduced, based on the authorized amount of reproduction indicated in the obtained license information; and

a reproduction unit operable to reproduce one or more of said plurality of elements in the case where it is judged that said plurality of elements are authorized to be reproduced, and not to reproduce said one or more elements in the case where it is judged that said plurality of elements are not authorized to be reproduced.

The digital content reproduction apparatus according to
 Claim 1,

wherein the reproducibility judgment unit specifies one or more license-consuming elements, each of which consumes said authorized amount of reproduction during reproduction, out of said one or more elements that are being reproduced, and judges whether or not said plurality of elements in the content are authorized to be reproduced, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction.

30 3. The digital content reproduction apparatus according to Claim 2,

wherein the license information further includes

license-consuming element information indicating one or more license-consuming elements included in each content,

the reproducibility judgment unit includes:

5

10

15

20

25

a consumed amount calculation unit operable to specify one or more license-consuming elements that are being reproduced, based on the license-consuming element information, and calculate a consumed amount within said authorized amount of reproduction, based on said amount used for reproducing the specified license-consuming elements; and

a comparison unit operable to compare said authorized amount of reproduction and the calculated consumed amount, said authorized amount of reproduction being indicated in the obtained license information, and

the reproducibility judgment unit judges, based on a result of the comparison, i) that said plurality of elements in the content are authorized to be reproduced so far as the consumed amount is less than said authorized amount of reproduction, and ii) that said plurality of elements in the content are not authorized to be reproduced in a case where the consumed amount surpasses said authorized amount of reproduction.

4. The digital content reproduction apparatus according to Claim 3,

wherein the license-consuming element information is a pair of an element identifier and a flag, said element identifier identifying each element included in the content, and said flag indicating whether or not said each element is the license-consuming element.

30 5. The digital content reproduction apparatus according to Claim 3,

wherein in the license-consuming element information, i)

said plurality of elements included in the content are divided into two groups: one group for elements which consume license; and the other group for elements which do not consume license, and ii) one or more elements belonging to either of said groups are listed with each element identifier for identifying each of said plurality of elements.

5

20

- 6. The digital content reproduction apparatus according to Claim 3,
- wherein in the license-consuming element information, said one or more license-consuming elements are listed with each element identifier for identifying each of said one or more license-consuming elements.
- 7. The digital content reproduction apparatus according to Claim 3,

wherein the license-consuming element information is a pair of an element identifier and a degree of consumption, said element identifier identifying each element included in the content, and said degree of consumption indicating a degree at which said each element consumes said authorized amount of reproduction.

- 8. The digital content reproduction apparatus according to Claim 7,
- wherein the consumed amount calculation unit calculates a total amount of time obtained by multiplying a time used for reproducing said one or more license-consuming elements specified during reproduction by the degree of consumption for each of said one or more license-consuming elements, and determines the calculated total amount as the consumed amount.
  - 9. The digital content reproduction apparatus according to

Claim 7,

5

15

25

30

٠,

wherein the consumed amount calculation unit calculates a time obtained by multiplying a time used for reproducing a license-consuming element by a largest degree of consumption, and determines the calculated time as the consumed amount, said license-consuming element having the largest degree of consumption out of the license-consuming elements specified during reproduction.

10 10. The digital content reproduction apparatus according to Claim 3,

wherein the consumed amount calculation unit calculates a total amount of time used for reproducing each of said one or more license-consuming elements specified during reproduction, and determines the calculated total amount as the consumed amount.

11. The digital content reproduction apparatus according to Claim 2,

wherein the content further includes license-consuming 20 element information indicating said one or more license-consuming elements,

the reproducibility judgment unit includes:

a consumed amount calculation unit operable to specify one or more license-consuming elements that are being reproduced, based on the license-consuming element information, and calculate a consumed amount within said authorized amount of reproduction, based on said amount used for reproducing the specified license-consuming elements; and

a comparison unit operable to compare said authorized amount of reproduction and the calculated consumed amount, said authorized amount of reproduction being indicated in the obtained license information, and

the reproducibility judgment unit judges, based on a result of the comparison, i) that said plurality of elements in the content are authorized to be reproduced so far as the consumed amount is less than said authorized amount of reproduction, and ii) that said plurality of elements in the content are not authorized to be reproduced in a case where the consumed amount surpasses said authorized amount of reproduction.

12. The digital content reproduction apparatus according to 10 Claim 2,

5

15

20

25

30

wherein the content is composed of a plurality of encrypted elements,

the license information includes one or more decryption keys for decrypting respectively one or more encrypted elements included in the content, and

the reproduction unit reproduces encrypted elements judged as "authorized to be reproduced" out of said one or more encrypted elements included in the content after decrypting said one or more encrypted elements by use of said one or more decryption keys included in the license information.

13. The digital content reproduction apparatus according to Claim 1,

wherein the authorized amount of reproduction is represented as an amount authorized for reproducing each element included in the content,

the reproducibility judgment unit includes a comparison unit operable to compare the authorized amount of reproduction for said each element and an amount used for reproducing said each element, said authorized amount of reproduction being indicated in the obtained license information, and

the reproducibility judgment unit judges, based on a result

of the comparison, i) that said each element is authorized to be reproduced so far as the amount used for reproducing said each element is less than said authorized amount of reproduction, and ii) that said each element is not authorized to be reproduced in a case where the amount used for reproducing said each element surpasses said authorized amount of reproduction.

5

10

15

20

25

30

14. The digital content reproduction apparatus according to Claim 1,

wherein said authorized amount of reproduction further includes other element dependency condition that is set for each element for deciding whether or not said each element included in the content is authorized to be reproduced, depending on whether or not other specified elements included in the same content are authorized to be reproduced, and

the reproducibility judgment unit judges that said each element is not authorized to be reproduced even when an amount used for reproducing said each element is less than said authorized amount of reproduction, in a case where it is judged that the specified elements indicated in the other element dependency condition that is set for said each element are not authorized to be reproduced.

- 15. A digital content reproduction method for reproducing a content according to license information which authorizes the reproduction of the content, comprising:
- a license information obtainment step of obtaining the license information indicating an authorized amount of reproduction for a content composed of a plurality of elements that can be reproduced individually;
- a reproducibility judgment step of judging whether or not said plurality of elements included in the content are authorized to

be reproduced, based on the authorized amount of reproduction indicated in the obtained license information; and

a reproduction step of reproducing one or more of said plurality of elements in the case where it is judged that said plurality of elements are authorized to be reproduced, and not reproducing said one or more elements in the case where it is judged that said plurality of elements are not authorized to be reproduced.

16. The digital content reproduction method according to Claim 15,

wherein in the reproducibility judgment step, one or more license-consuming elements are specified, each of which consumes said authorized amount of reproduction during reproduction, out of the elements that are being reproduced, and whether or not said plurality of elements in the content are authorized to be reproduced is judged, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction.

20

25

15

5

17. The digital content reproduction method according to Claim16,

wherein the license information further includes license-consuming element information indicating one or more license-consuming elements included in each content,

the reproducibility judgment step includes a comparison step of comparing said authorized amount of reproduction and the calculated consumed amount, said authorized amount of reproduction being indicated in the obtained license information,

30 and

in the reproducibility judgment step, it is judged, based on a result of the comparison, that said plurality of elements in the

content are authorized to be reproduced so far as the consumed amount is less than said authorized amount of reproduction, while it is judged that said plurality of elements in the content are not authorized to be reproduced in a case where the consumed amount surpasses said authorized amount of reproduction.

18. The digital content reproduction method according to Claim 15,

wherein said authorized amount of reproduction is 10 represented as an amount authorized for reproducing each element included in the content,

5

15

20

the reproducibility judgment step includes a comparison step of comparing said authorized amount of reproduction and the calculated consumed amount, said authorized amount of reproduction being indicated in the obtained license information, and

in the reproducibility judgment step, it is judged, based on a result of the comparison, that said each element is authorized to be reproduced so far as the amount used for reproducing said each element is less than said authorized amount of reproduction while it is judged that said each element is not authorized to be reproduced in a case where the amount used for reproducing said each element surpasses said authorized amount of reproduction.

- 25 19. A program for a digital content reproduction apparatus for reproducing a content according to license information which authorizes the reproduction of the content, causing a computer to execute the following steps:
- a license information obtainment step of obtaining the 30 license information indicating an authorized amount of reproduction for a content composed of a plurality of elements that can be reproduced individually;

a reproducibility judgment step of judging whether or not said plurality of elements included in the content are authorized to be reproduced, based on the authorized amount of reproduction indicated in the obtained license information; and

a reproduction step of reproducing one or more of said plurality of elements in the case where it is judged that said plurality of elements are authorized to be reproduced, and not reproducing said one or more elements in the case where it is judged that said plurality of elements are not authorized to be reproduced.

# 20. The program according to Claim 19,

5

10

15

20

wherein in the reproducibility judgment step, one or more license-consuming elements, each of which consumes said authorized amount of reproduction during reproduction, are specified, out of the elements that are being reproduced, and whether or not said plurality of elements in the content are authorized to be reproduced is judged, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction.

### AMENDED CLAIMS

[received by the International Bureau on 20 September 2004 (20.09.04) original claims 2, 16 and 20 amended; original claims 1, 13-15, 18 and 19 cancelled; remaining claims 3-12 and 17 unchanged

- 1. (Cancelled)
- 2. (Amended)

A digital content reproduction apparatus for reproducing a content according to license information which authorizes the reproduction of the content, the apparatus comprising:

a license information obtainment unit operable to obtain the license information indicating an authorized amount of reproduction for a content composed of a plurality of elements that can be reproduced individually;

a reproducibility judgment unit operable to specify, out of said plurality of elements in the content which are being reproduced, one or more license-consuming elements, each of which consumes said authorized amount of reproduction during reproduction, and judge whether or not said one or more specified license-consuming elements are authorized to be reproduced, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction; and

a reproduction unit operable to reproduce said one or more specified license-consuming elements in the case where it is judged that said elements are authorized to be reproduced, and not to reproduce said one or more specified license-consuming elements in the case where it is judged that said elements are not authorized to be reproduced.

3. The digital content reproduction apparatus according to Claim 2,

wherein the license information further includes license-consuming element information indicating one or more license-consuming elements included in each content,

the reproducibility judgment unit includes:

a consumed amount calculation unit operable to specify one or more license-consuming elements that are being reproduced, based on the license-consuming element information, and calculate a consumed amount within said authorized amount of reproduction, based on said amount used for reproducing the specified license-consuming elements; and

a comparison unit operable to compare said authorized amount of reproduction and the calculated consumed amount, said authorized amount of reproduction being indicated in the obtained license information, and

the reproducibility judgment unit judges, based on a result of the comparison, i) that said plurality of elements in the content are authorized to be reproduced so far as the consumed amount is less than said authorized amount of reproduction, and ii) that said plurality of elements in the content are not authorized to be reproduced in a case where the consumed amount surpasses said authorized amount of reproduction.

4. The digital content reproduction apparatus according to Claim 3,

wherein the license-consuming element information is a pair of an element identifier and a flag, said element identifier identifying each element included in the content, and said flag indicating whether or not said each element is the license-consuming element.

5. The digital content reproduction apparatus according to Claim 3,

wherein in the license-consuming element information, i) said plurality of elements included in the content are divided into two groups: one group for elements which consume license; and

the other group for elements which do not consume license, and ii) one or more elements belonging to either of said groups are listed with each element identifier for identifying each of said plurality of elements.

6. The digital content reproduction apparatus according to Claim 3,

wherein in the license-consuming element information, said one or more license-consuming elements are listed with each element identifier for identifying each of said one or more license-consuming elements.

7. The digital content reproduction apparatus according to Claim 3,

wherein the license-consuming element information is a pair of an element identifier and a degree of consumption, said element identifier identifying each element included in the content, and said degree of consumption indicating a degree at which said each element consumes said authorized amount of reproduction.

8. The digital content reproduction apparatus according to Claim 7,

wherein the consumed amount calculation unit calculates a total amount of time obtained by multiplying a time used for reproducing said one or more license-consuming elements specified during reproduction by the degree of consumption for each of said one or more license-consuming elements, and determines the calculated total amount as the consumed amount.

9. The digital content reproduction apparatus according to Claim 7,

wherein the consumed amount calculation unit calculates a

time obtained by multiplying a time used for reproducing a license-consuming element by a largest degree of consumption, and determines the calculated time as the consumed amount, said license-consuming element having the largest degree of consumption out of the license-consuming elements specified during reproduction.

10. The digital content reproduction apparatus according to Claim 3,

wherein the consumed amount calculation unit calculates a total amount of time used for reproducing each of said one or more license-consuming elements specified during reproduction, and determines the calculated total amount as the consumed amount.

11. The digital content reproduction apparatus according to Claim 2,

wherein the content further includes license-consuming element information indicating said one or more license-consuming elements,

the reproducibility judgment unit includes:

a consumed amount calculation unit operable to specify one or more license-consuming elements that are being reproduced, based on the license-consuming element information, and calculate a consumed amount within said authorized amount of reproduction, based on said amount used for reproducing the specified license-consuming elements; and

a comparison unit operable to compare said authorized amount of reproduction and the calculated consumed amount, said authorized amount of reproduction being indicated in the obtained license information, and

the reproducibility judgment unit judges, based on a result of the comparison, i) that said plurality of elements in the content

are authorized to be reproduced so far as the consumed amount is less than said authorized amount of reproduction, and II) that said plurality of elements in the content are not authorized to be reproduced in a case where the consumed amount surpasses said authorized amount of reproduction.

12. The digital content reproduction apparatus according to Claim 2.

wherein the content is composed of a plurality of encrypted elements,

the license information includes one or more decryption keys for decrypting respectively one or more encrypted elements included in the content, and

the reproduction unit reproduces encrypted elements judged as "authorized to be reproduced" out of said one or more encrypted elements included in the content after decrypting said one or more encrypted elements by use of said one or more decryption keys included in the license information.

- 13. (Cancelled)
- 14. (Cancelled)
- 15. (Cancelled)
- 16. (Amended)

A digital content reproduction method for reproducing a content according to license information which authorizes the reproduction of the content, comprising:

a license information obtainment step of obtaining the license information indicating an authorized amount of reproduction for a content composed of a plurality of elements that

can be reproduced individually;

a reproducibility judgment step of specifying, out of said plurality of elements in the content which are being reproduced, one or more license-consuming elements, each of which consumes said authorized amount of reproduction during reproduction, and judging whether or not said one or more specified license-consuming elements are authorized to be reproduced, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction; and

a reproduction step of reproducing said one or more specified license-consuming elements in the case where it is judged that said elements are authorized to be reproduced, and not reproducing said one or more specified license-consuming elements in the case where it is judged that said elements are not authorized to be reproduced.

17. The digital content reproduction method according to Claim 16,

wherein the license information further includes license-consuming element information indicating one or more license-consuming elements included in each content,

the reproducibility judgment step includes a comparison step of comparing said authorized amount of reproduction and the calculated consumed amount, said authorized amount of reproduction being indicated in the obtained license information, and

in the reproducibility judgment step, it is judged, based on a result of the comparison, that said plurality of elements in the content are authorized to be reproduced so far as the consumed amount is less than said authorized amount of reproduction, while it is judged that said plurality of elements in the content are not

authorized to be reproduced in a case where the consumed amount surpasses said authorized amount of reproduction.

- 18. (Cancelled)
- 19. (Cancelled)

## 20. (Amended)

A program for a digital content reproduction apparatus for reproducing a content according to license information which authorizes the reproduction of the content, causing a computer to execute the following steps:

a license information obtainment step of obtaining license information indicating an authorized amount of reproduction for a content composed of a plurality elements that can be reproduced individually;

a reproducibility judgment step of specifying, out of said plurality of elements in the content which are being reproduced, one or more license-consuming elements, each of which consumes said authorized amount of reproduction during reproduction, and judging whether or not said specified one or more license-consuming elements are authorized to be reproduced, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction; and

a reproduction step of reproducing said specified one or more license-consuming elements in the case where it is judged that said elements are authorized to be reproduced, and not reproducing said specified one or more elements in the case where it is judged that said elements are not authorized to be reproduced.

# Brief Statement on the Amendments Based on the Article 19 (1)

In the amended Claim 2, it is clarified that a plurality of elements which can be reproduced individually and are included in a content includes: license-consuming elements, each of which consumes an authorized amount of reproduction during reproduction; and the elements which are not license-consuming. It is also clearly stated that the reproducibility judgment unit judges whether or not the (license-consuming) elements are authorized to be reproduced, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction.

In the amended Claim 16, it is clarified that a plurality of elements which can be reproduced individually and are included in a content includes: license-consuming elements, each of which consumes an authorized amount of reproduction during reproduction; and the elements which are not license-consuming. It is also clearly stated that the reproducibility judgment unit judges whether or not the license-consuming elements are authorized to be reproduced, based on an amount used for reproducing the specified license-consuming elements and the authorized amount of reproduction.

In the amended Claim 20, it is clarified that a plurality of elements which can be reproduced individually and are included in a content includes: license-consuming elements, each of which consumes an authorized amount of reproduction during reproduction; and the elements which are not license-consuming. It is also clearly stated that the reproducibility judgment unit judges whether or not the license-consuming elements are authorized to be reproduced, based on an amount used for reproducing the specified license-consuming elements and said authorized amount of reproduction.

The applicant cancels Claims 1, 13, 14, 15, 18 and 19, amends Claims 2, 16, and 20, and retains Claims 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, and 17.

FIG. 1





FIG. 2




202	303	(byte)	)			
		Element size (byte)	512000	64000	192000	· • • • ·
FIG. 3	302	Offset (byte)	00096	608000	672000	
	301	Element type	Music data	Lyric data	Image data for album jacket	
	300	Element ID	XXX001	XXX002	XXX003	

FIG. 4

300	400
Element ID	License consumption flag
XXX001	Consume license
XXX002 ·	Does not consume license
XXX003	Does not consume license
•	• • •

FIG. 5



PCT/JP2004/004980






FIG. 7 Receive request to start using content S701 Availability judgment process √S702 NO Is content available? , YES S703 Start-using-element process S707 ×5704 Inform user of unavailability Content-in-use process S705 NO Use of all elements stopped? YES S706 Update license End








FIG. 12




FIG. 13

Group	Element ID
Consume license	XXX001
	XXX002
Does not consume license	XXX003
• •	•

FIG. 14




FIG. 15

300ر_	1300	<u>204</u>
Element ID	Degree of license consumption	
XXX001	Consume half	
XXX002	Consume double	
XXX003	Does not consume license	
•	- • •	

FIG. 16




FIG. 17

501	License ID	:
201	Content ID	500
1400	Content usable frequency	
300	Element ID#1	
503	Decryption key#1	
	•	
	•	
	•	
300 🤍		
300	Element ID#N	
503	Decryption key#N	
1401	Content used frequency	
•	T	

FIG. 18







FIG. 19





Ç



#### 4

## INTERNATIONAL SEARCH REPORT

International Application No PCT/JP2004/004980

			101/01/200	47 004 960
A. CLASSI IPC 7	FICATION OF SUBJECT MATTER G06F1/00			
According to	o International Palent Classification (IPC) or to both national classific	ation and IPC		
B. FIELDS	SEARCHED			
Minimum do IPC 7	cumentation searched (classification system followed by classification $G06F$	on symbols)		
Documental	ion searched other than minimum documentation to the extent that s	such documents are incli	uded in the fields se	earched
Electronic da	ata base consulted during the international search (name of data ba	se and, where practical	, search terms used	)
EPO-In	ternaī, WPI Data			_
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT			
Category •	Citation of document, with indication, where appropriate, of the rel	evant passages		Relevant to claim No.
X	EP 0 715 246 A (XEROX CORP) 5 June 1996 (1996-06-05) page 2, line 36 - page 3, line 2 page 4, line 43 - line 46 page 5, line 20 - line 46 page 13, line 28 - line 38 page 20, line 43 - line 46			1-20
	er documents are listed in the continuation of box C.	X Palent family n	nembers are listed in	n annex.
'A' docume consider of filing de 'L' docume which i citation 'O' docume other n	and defining the general state of the last which is not ered to be of particular relevance focument but published on or after the international state and the state of the sta	cited to understant invention  "X" document of particu cannot be conside involve an inventiv  "Y" document of particu cannot be conside document is comb	I not in conflict with d the principle or the clear relevance; the clear of the clear relevance; the clear relevance; the clear to involve an i	the application but some underlying the latmed invention be considered to summent is taken alone atmed invention rentive step when the re other such docusto a person skilled
Date of the a	actual completion of the international search	Date of mailing of the	he international sear	ch report
	July 2004	21/07/2	004	
Name and m	railing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  Fax: (+31-70) 340-3016	Authorized officer Sigolo,	A	

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No PCT/JP2004/004980

Patent document dted in search report		Publication date		Patent family member(s)	Publication date
EP 0715246	A	05-06-1996	US	5638443 A	10-06-1997
			DE	69530460 D1	28-05-2003
			DE	69530460 T2	23-10-2003
			ΕP	1293869 A2	19-03-2003
~			EP	1293870 A2	19-03-2003
			EP	1335260 A1	13-08-2003
			EP	1335261 A1	13-08-2003
			EΡ	1335262 A1	13-08-2003
			EP	1335263 A1	13-08-2003
			EP	0715246 A1	05-06-1996
			JP	8263439 A	11-10-1996
•			JP	2004127307 A	22-04-2004